

Safetred Natural

Datasheet

Classification	Norm	Tarkett Value
Product type	ISO 10582	Polyvinyl chloride floor coverings with particle based enhanced slip resistance
Commercial classification	ISO 10874	34 Very Heavy
Industrial classification	ISO 10874	43 Heavy
Binder content	ISO 10582	Type I
Characteristics	Norm	Tarkett Value
Total thickness	EN ISO 24346	2 mm
Total weight	EN ISO 23997	3529 g/m ²
Surface treatment		PUR (Polyurethane Reinforced) Safety Clean XP
Installation method		Glue-Down
Performance for CE Marking	Norm	Tarkett Value
UKCA - DoC certificate		0170-0008-DoC-202205
Declaration of Performance	EN 14041	0170-0006-DoP-2013-07 0170-0008-DoP-2020-10
Reaction to fire	EN ISO 13501-1	Bfl-s1
Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance (m ² K/W)	EN ISO 10456	0,010 m ² •K/W
Slip resistance	EN 13893	Class DS (μ ≥ 0.30)
Electrical resistance	EN 1081	Static dissipative (≤ 1x10 ⁹ Ω)
Technical Performance	Norm	Tarkett Value
Residual indentation	EN ISO 24343-1	≤ 0.10 mm
Dimensional stability	EN ISO 23999	Average Measured Value : ≤ 0.40 %
Impact sound reduction - ΔLw	EN ISO 717/2	4 dB
Drum sound class	NF S31-074	B
Slip resistance	DIN 51130	R10
Furniture leg effect	EN ISO 16581	No damage
Castor chair effect	EN ISO 4918	No damage
Curl resultant to heat	EN ISO 23999	≤ 2 mm
Colour fastness to light	EN ISO 105-B02	≥ 7
Chemical resistance	EN ISO 26987	Good resistance
Underfloor heating		Suitable (maximum 27°C)
Abrasion particle loss	EN 13845 Annex D	≤ 10%
Sustainability, Environment & Indoor Air Quality	Norm	Tarkett Value
Recyclability through ReStart®		Recyclable
Total recycled content		40 %
Carbon Footprint (Cradle-to-Gate, EPD Modules A1-A3)		8.80 kg CO ₂ e /m ²
TVOC emissions after 28 days	EN 16516	Platinum (≤ 10 μg/m ³)
Formaldehyde emission	EN 717-1	E1
Dimensions and designs		
Roll		Roll 2x20m
Number of designs available		11



The above information is subject to modification for the benefit of further improvement (30/01/2023). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com> Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.